

Description

A powerful, heavy duty emulsifiable solvent degreaser and de-waxer which simply sprays on and washes off, quickly removing oil, grease and tar deposits from grease surfaces.

Syntech HD Degreaser Spray is a specially formulated blend of degreasing solvents designed to remove grease, oil and general workshop grime rapidly from a wide range of surfaces.

Syntech HD Degreaser Spray is designed to emulsify grease and grime so that resulting residue can be easily removed by wiping, washing or hosing with water. It is Ideal for cleaning machinery, flooring, concrete, paving etc.

Outstanding Features and Benefits

- Use on any metallic surface
- Removes grease, tar stains, oil, bitumen, waxes etc
- Dissolves and emulsifies for easy removal
- Can be used on most plastic and painted surfaces
- Suitable for spot removal on concrete
- Powerful solvent blend cuts through grease
- Does not contain chlorinated solvents

Directions of Use

Syntech HD Degreaser Spray is applied directly onto the grease or grime, allow to soak for a few minutes then wipe or wash off. For heavier contamination, allow to soak for longer periods of time before removing.

Syntech HD Degreaser Fluid can be applied using a rag or brush directly onto the area to be cleaned, alternatively parts may be totally immersed. Allow to soak for a few minutes then wipe or wash off. For heavier contamination allow to soak for longer periods of time before removing.

As with all products of this type it is recommended that compatibility with painted or coated surfaces, plastics and rubber be tested prior to use.

Technical Data

Appearance	:	Clear Liquid
Solvent	:	Blend of odourless kerosene, IPA and water emulsifiers with a Butane/Propane propellant.
Temperature range	:	For use at ambient temperatures
Relative Density	:	0.7225
Flash point	:	<°C
Storage	:	Storage temperature should be kept below 50°C. Storage area should be out of direct sunlight.

The content of this data is given in good faith but without warranty.